
# Wood modification with titania and silica based precursors



Filesize: 7.22 MB

### Reviews

The most effective pdf i ever read. it absolutely was writtern extremely flawlessly and useful. I am very easily will get a pleasure of reading through a published book.

(Prof. Vidal Ledner)

# WOOD MODIFICATION WITH TITANIA AND SILICA BASED PRECURSORS



Cuvillier Verlag Nov 2013, 2013. Taschenbuch. Book Condition: Neu. 211x146x4 mm. Neuware - This dissertation is devoted to explicitly investigate the suitability of titania and silica based precursors for wood modification. Novel TiO2 / SiO2 wood inorganic composites were prepared by two-step process. In first step, freshly prepared precursor solutions of silicon and titanium alkoxides were vacuum impregnated (one or more cycles) to oven dried pine sapwood (Pinius sylvestris L.). Precursor solutions with nano-scaled species and particulates (TiO2 and SiO2) were soaked by the entire wood matrix during this step. In (second) subsequent curing step, these penetrating liquids transformed into respective gel layers and depositions therein by sol-gel processing (in-situ hydrolysiscondensation). Sol-gel based depositions were evenly covered on the cell walls in the form of thin layers. These gel films were not crack-free however; very few cracks were visible in the gel coatings present within the wood matrix of composites prepared with precursors of low alkoxide content. In addition, the gels were randomly distributed, found to be mainly deposited in the wood cell lumen and also localized in the cell walls as ESEM-EDX mapping revealed. The impregnated samples show an increase in mass and volume expressed as eight percent gain (WPG) and bulking (B). Both of the parameters are decisive for tailoring a number of physical properties of the resultant composites. In general, moisture and water sorption capacities were decreased by 43 to 50 % while antiswelling efficiency (ASE) and bending strength (MOE) of the precursormodified wood (composite) were increased up to 34 % and 41 % respectively, when compared to unmodified wood. These improvements are attributed mainly to gel depositions in the wood structure that physically interact with the wood matrix consequently narrowing the main flow passages there and reinforcing strengths of the fiber. These materials show superior resistance...



Read Wood modification with titania and silica based precursors Online Download PDF Wood modification with titania and silica based precursors

## You May Also Like



#### Psychologisches Testverfahren

Reference Series Books LLC Nov 2011, 2011. Taschenbuch. Book Condition: Neu. 249x191x7 mm. This item is printed on demand - Print on Demand Neuware - Quelle: Wikipedia. Seiten: 100. Kapitel: Myers-Briggs-Typindikator, Keirsey Temperament Sorter, DISG,...

Read Document »



#### Programming in D

Ali Cehreli Dez 2015, 2015. Buch. Book Condition: Neu. 264x182x53 mm. This item is printed on demand - Print on Demand Neuware - The main aim of this book is to teach D to readers...

Read Document »



### Good Tempered Food: Recipes to love, leave and linger over

Clearview. Paperback. Book Condition: new. BRAND NEW, Good Tempered Food: Recipes to love, leave and linger over, Tamasin Day-Lewis, Slow-cooked food and what the author likes to call 'good tempered food', is what proper cooking...

Read Document »



# The Official eBay Guide: To Buying, Selling and Collecting Just About Everything

Simon & Schuster Ltd. Paperback. Book Condition: new. BRAND NEW, The Official eBay Guide: To Buying, Selling and Collecting Just About Everything, Laura Fisher Kaiser, Michael Kaiser, Omidyar, Pierre, HAPPY HUNTING(TM) ON eBay Aunt Fannie's...

Read Document »



#### My Brother is Autistic

Barron's Educational Series Inc.,U.S. Paperback. Book Condition: new. BRAND NEW, My Brother is Autistic, Jennifer Moore-Mallinos, Medical experts are just beginning to understand varying degrees of autism and its impact on both the autistic child...

Read Document »